

PRODUCT CATALOGUE 2022

ECCOPULANET®

ECOPLANET®

**GET IN TOUCH
WITH US!**



BCV International Group
Romania, Bucharest



+40-749.044.833



info@bcv-group.ro



www.bcv-group.ro



@bcvgroup



@bcv_group

2022/10

ECOPLANET Brand

The Ecoplanet brand was launched in 2014. The first products of the brand were the most common LED bulbs, which quickly became popular and enjoyed high demand.

Being on the market already for over 8 years and thanks to the development and increase of the product range, the development and improvement of the existing products, the safety of the products with a very low defect rate and the constant investments in the promotion of the Ecoplanet brand has managed to become one of the most appreciated brands of sources and LED lighting fixtures on the Romanian market.

During all this time Ecoplanet has become a popular brand not only in Romania but also in other countries - it enjoys a growing demand in every market where it has managed to mark its presence.

Today, the Ecoplanet range includes over 300 products from various categories of sources and LED lighting fixtures. It covers the needs of both residential and industrial / commercial customers.

Among the main categories are listed: Led bulbs, Led tubes, Led ceiling lights, Led spotlights, Led projectors and others.

ECOPLANET advantages:



The ECOPLANET brand is protected and registered at the level of the European Union so that there are no counterfeit products



ECOPLANET products are checked and tested in the production laboratory so that each product launched on the market to meet both brand requirements and EU requirements.



ECOPLANET products benefit from a guarantee of 2 years from the moment of purchase.



The latest generation technologies are used in the manufacture of ECOPLANET products.



The ECOPLANET brand includes over 250 products in its portfolio



ECOPLANET products are developed with the mission of helps consumers to reduce electricity consumption but at the same time to provide a strong brightness. Thus, the products tend to offer the highest possible energy efficiency.



ECOPLANET ON THE MARKET



CONTENTS



LED Smart Bulbs - page 5



LED Bulbs - page 7



LED Tubes - page 17



LED Ceiling Lights - page 21



LED Surface Mounted Panels
page 23



LED Recessed Panels
page 24



LED Linear Lighting Fixtures
page 26



LED Flood Lights - page 27



About BCV Group

SMART LED BULBS





SMART LED A60 BULB

The 9W ECOPLANET Smart LED bulb has a normal A60 shape and offers a brightness of up to 810LM. Through the application (Tuya Smart and Smart Life) you can select from a high variability of RGB colors, but you can also adjust the light intensity. Ecoplanet Smart LED bulb uses TUYA technology that allows them to connect to smart mobile devices and offers the possibility of controlling the bulbs remotely using only a dedicated application. You can turn the bulbs on and off remotely, you can select the color of the light you want and its intensity, create operating scenarios or even synchronize multiple bulbs

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous ignition – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- ▶ Supply voltage: 175-265V;
- ▶ AService life: 30 000 hours;
- ▶ Use of IC/EMC technology;
- ▶ It can be easily mounted in place of ordinary / incandescent bulbs;

Smart advantages of the product:

- ▶ The Tuya app is available for both iOS and Android. This allows you to connect and manage all your smart devices in one app
- ▶ The ability to connect to multiple devices
- ▶ It offers the possibility of automating the home and creating different operating scenarios
- ▶ Making remote commands
- ▶ Allows you to adjust the color temperature
- ▶ RGB - spectrum of 16 million colors
- ▶ Allows you to adjust the light intensity
- ▶ No central HUB required for setting in Tuya app
- ▶ Support for voice commands (Google, Amazon and Siri Shortcuts)

Powered by



PRODUCT CODE	BULB TYPE	POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	COLOR TEMPERATURE	DIMMABLE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0205	A60	9W	100-240V	E27	90Lm/W	810	3000K - 6500K + RGB	YES - IN APP	>80	60x112mm	220°	IP20	F	30.000h

SMART DETAILS	TECHNOLOGY USED	COMPATIBLE APPS	APPS STORES	SYNC	WIFI TECHNOLOGY
	TUYA	TUYA APP	APP STORE (iOS)	GOOGLE ASSISTANT	2.4GHZ
		SMART LIFE	GOOGLE PLAY (Android)	ALEXA	
				SIRI SHORTCUTS	

*All products and company names are trademarks (TM) or registered ® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. All specification are subject to change without notice. Use of the images of this package, photographs, compositions and illustrations are only intended to properly inform the consumer about the use and purpose of the accessory, its compatibility as well as its main features. All trademarks, names and models are property of the respective companies.

STANDARD LED BULBS



STANDARD LED BULBS



STANDARD LED BULBS: A60 / A65 / A80

The standard ECOPLANET LED bulbs have the normal shape and is the equivalent of a classic incandescent bulb. The product range offers high efficiency with 90+ Lm/W and 3 color temperatures: Daylight White (6500K) / Neutral White (4000K)/ Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous ignition – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- ▶ Supply voltage: 175-265V;
- ▶ AService life: 30 000 hours;
- ▶ Use of IC/EMC technology;
- ▶ It can be easily mounted in place of ordinary / incandescent bulbs;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0001	A60	5W	40W	175-265V	E27	90Lm/W	450Lm	NO	6500K	>80	60x112mm	220°	IP20	F	30.000h
ECO-0070									4000K						
ECO-0002									3000K						
ECO-0003		7W	60W			630Lm	6500K								
ECO-0071							4000K								
ECO-0004							3000K								
ECO-0005		9W	75W			855Lm	6500K		65x118mm						
ECO-0072							4000K								
ECO-0006							3000K								
ECO-0007		12W	100W			1140Lm	6500K				80x160mm				
ECO-0073	4000K														
ECO-0008	3000K														
ECO-0009	A65	15W	120W	1425Lm	6500K										
ECO-0074					4000K										
ECO-0010					3000K										
ECO-0075	A80	20W	150W	1900Lm	6500K										
ECO-0206					4000K										
ECO-0207					3000K										

LED LOW VOLTAGE A60 BULB



The LOW VOLTAGE ECOPLANET LED bulb have the normal shape and is the equivalent of a classic low voltage incandescent bulb. Low voltage (24V DC) bulbs are used in basements and in spaces where high voltage network is forbidden.

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- ▶ Supply voltage: 24V - Direct Current;
- ▶ AService life: 30 000 hours;
- ▶ Use of IC/EMC technology;
- ▶ It can be easily mounted in place of ordinary / incandescent bulbs;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0141	A60	9W	75W	24V (DC)	E27	95Lm/W	855Lm	NO	6500K	>80	60x112mm	220°	IP20	F	30.000h



LED A60 BULBS WITH MICROWAVE SENSOR



ECOPLANET LED bulbs with MICROWAVE SENSOR (Radar) have the normal shape and the sensor is inside the bulb that makes the bulbs looks standard.

Advantages and benefits of the product:

- Use of Microwave Sensor. Microwave sensor is highly sensitive and more powerful than infrared sensors;
- 2-year warranty;
- Tested and guaranteed quality;
- Very low power consumption. Possibility to save up to 80% electricity;
- 100% instantaneous light – without delay or heating time;
- Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- Supply voltage: 175-265V
- AService life: 30 000 hours;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0338	A60 +	9W	75W	175-265V	E27	95Lm/W	855Lm	NO	6500K	>80	60x112mm	220°	IP20	F	30.000h
ECO-0339	SENSOR								4000K						
ECO-0340	INSIDE								3000K						

DIMMABLE A60 LED BULBS



DIMMABLE ECOPLANET LED bulbs have the normal shape and are the equivalent of a classic incandescent bulb which are also dimmable. Dimmable function permits to control the intensity of the bulb light. ECOPLANET offers all 3 color temperature options: Daylight White (6500K) / Neutral White (4000K) / Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Supply voltage: 175-265V
- ▶ Average service life: 30 000 hours;
- ▶ Perfect dimmable function.

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	BIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0335	A60	9W	75W	175-265V	E27	95lm/W	855lm	YES	6500K	>80	60x112mm	220°	IP20	F	30.000h
ECO-0336									4000K						
ECO-0337									3000K						

T-SHAPE INDUSTRIAL LED BULBS: T100 / T120 / T140



High power ECOPLANET LED bulbs are perfect for commercial and industrial use - these bulbs can illuminate large spaces. High power LED bulb range offers: 30W, 40W, 50W, 70W and 100W bulbs.

The product range offers high efficiency with 95 Lm/W and 3 color temperatures: Daylight White (6500K) / Neutral White (4000K) / Warm White (3000K).

The bulbs were designed to withstand extreme temperatures and have a long life.

Advantages and benefits of the product:

- 2-year warranty;
- Tested and guaranteed quality;
- Very low power consumption. Possibility to save up to 80% electricity;
- 100% instantaneous light – without delay or heating time;
- Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- Supply voltage: 175-265V;
- AService life: 30 000 hours;
- Use of IC/EMC technology;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0076	T100	30W	200W	175-265V	E27	95Lm/W	2850Lm	NO	6500K	>80	100x188mm	220°	IP20	F	30.000h
ECO-0201									4000K						
ECO-0202									3000K						
ECO-0088	T120	40W	250W				3800Lm		6500K		120x205mm				
ECO-0203									4000K						
ECO-0204									3000K						
ECO-0121	T140	50W	300W		E27 + E40		4750Lm		6500K		140x205mm				
ECO-0208									4000K						
ECO-0209									3000K						
ECO-0308									6500K						
ECO-0309		70W	350W				6650Lm		4000K						
ECO-0310									3000K						
ECO-0311				6500K											
ECO-0312				4000K											
ECO-0313	100W	400W	9500Lm	3000K											

GLOBE LED BULBS: G45



The globe ECOPLANET LED bulbs have the small globe shape that fits in majority of lighting decorative fixtures. The product range offers high efficiency with 90 Lm/W, E14 and E27 sockets and 3 color temperatures: Daylight White (6500K) / Neutral White (4000K) / Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- ▶ Supply voltage: 175-265V;
- ▶ AService life: 30 000 hours;
- ▶ Use of IC/EMC technology;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0011	G45	5W	40W	175-265V	E14	90Lm/W	450Lm	NO	6500K	>80	45x80mm	180°	IP20	F	30.000h
ECO-0118									4000K						
ECO-0012									3000K						
ECO-0013					6500K										
ECO-0119					4000K										
ECO-0014					3000K										
ECO-0015		7W	60W		E14	630Lm	6500K								
ECO-0093							4000K								
ECO-0016							3000K								
ECO-0017					6500K										
ECO-0094					4000K										
ECO-0018					3000K										

CANDLE LED BULBS: C35

The candle ECOPLANET LED bulbs have the candle shape that fits in majority of lighting decorative fixtures. The product range offers high efficiency with 90 Lm/W, E14 and E27 sockets and 3 color temperatures: Daylight White (6500K)/ Neutral White (4000K) / Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80. Ecoplanet's IRC INDEX of LED bulbs is always higher than 80, which ensures a reality-close look and naturalness of colors;
- ▶ Supply voltage: 175-265V;
- ▶ AService life: 30 000 hours;
- ▶ Use of IC/EMC technology;



PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0019	C35	5W	40W	175-265V	E14	90Lm/W	450Lm	NO	6500K	>80	38x115mm	180°	IP20	F	30.000h
ECO-0120					E27				4000K						
ECO-0020									3000K						
ECO-0021									6500K						
ECO-0022									3000K						
ECO-0023		7W	60W		E14		630Lm		6500K						
ECO-0095					E27				4000K						
ECO-0024									3000K						
ECO-0025									6500K						
ECO-0096									4000K						
ECO-0026									3000K						
ECO-0027	C35L	5W	40W		E14		450Lm		6500K		38x130mm				
ECO-0028				3000K											
ECO-0092		7W	60W	630Lm		6500K									
ECO-0212						4000K									
ECO-0089						3000K									

DIRECTIONAL LIGHTS



REFLECTOR LED BULBS:
R39 / R50



Reflector ECOPLANET LED bulbs have the directional shape that fits perfectly in lighting fixtures with directional light. The product range offers high efficiency with 80+ Lm/W and 2 color temperatures: Daylight White (6500K) / Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ Use of IC/EMC technology;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80;
- ▶ Supply voltage: 175-265V;
- ▶ Service life: 30 000 hours;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0116	R39	4W	30W	175-265V	E14	80Lm/W	320Lm	NO	6500K	>80	39x102mm	180°	IP20	G	30.000h
ECO-0199	R50	5W	40W			90Lm/W	450Lm		6500K						
ECO-0200		5W							3000K						
ECO-0091		7W							60W					6500K	
ECO-0090														3000K	

LED DOWNLIGHT BULBS:
MR11 / MR16 (GU5.3) / GU10



Downlights ECOPLANET LED are small bulbs that have the directional shape that fits perfectly in lighting fixtures with directional light. The product range offers high efficiency with 80 Lm/W and 3 color temperatures: Daylight White (6500K) / Neutral White (4000K) / Warm White (3000K).

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80;
- ▶ Supply voltage: 12V and 175-265V;
- ▶ Service life: 30 000 hours;
- ▶ Use of IC/EMC technology;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0142	MR11	3W	35W	12V	MR11	80Lm/W	240Lm	NO	6500K	>80	35x42mm	180°	IP20	G	30.000h
ECO-0079	MR16	6W		175-265V	GU5.3		480Lm		6500K		50x58mm				
ECO-0225									4000K						
ECO-0226									3000K						
ECO-0080	GU10	6W	35W	175-265V	GU10	80Lm/W	480Lm	NO	6500K	>80	50x58mm	180°	IP20	G	30.000h
ECO-0227									4000K						
ECO-0228									3000K						

SMALL LED T & G-BULBS

ECOPLANET LED bulbs range also offers small LED bulbs, like G4, G9 or T22, that are designe to fit perfectly in small home decorative lighting fixtures.



PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0081	G4	2W	15W	12V	G4	80Lm/W	160Lm	NO	6500K	>80	10.3x35.8mm	220°	IP20	G	30.000h
ECO-0219									4000K						
ECO-0220									3000K						
ECO-0105									6500K						
ECO-0078	G9	4W	35W	175-265V	G9	80Lm/W	360Lm	NO	4000K	>80	16.2x49mm	220°	IP20	G	30.000h
ECO-0223									3000K						
ECO-0224									6500K						
ECO-0077	T22	2W	15W	175-265V	T22	80Lm/W	160Lm	NO	6500K	>80	22x65mm	220°	IP20	G	30.000h

FILAMENT VINTAGE LED BULBS



ECOPLANET Filament LED bulbs are decorative bulbs in a classic and vintage style that are perfect for decoration and illumination of fancy places like restaurants, hotels, terraces. High lumens and high efficiency offers beautiful light for the interior or exterior places.

Advantages and benefits of the product:

- ▶ Perfect design;
- ▶ Vintage collection;
- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;
- ▶ Very good color rendering index (IRC): >80;
- ▶ Supply voltage: 175-265V;
- ▶ Service life: 30 000 hours;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME		
ECO-0256	A60 - clear	7W	60W	175-265V	E27	115Lm/W	805Lm	NO	3000K	>80	60x105mm	180°	IP20	E	30.000h		
ECO-0259		9W	75W			110Lm/W	990Lm				70x115mm						
ECO-0262	A70 - clear	12W	100W			120Lm/W	1440Lm				95x142mm						
ECO-0277	G95 - amber	4W	35W			115Lm/W	460Lm				125x175mm						
ECO-0283	G125 - amber	6W	60W		E14	110Lm/W	660Lm				35x95mm						
ECO-0292	C35 - amber	4W	40W			115Lm/W	460Lm				35x135mm						
ECO-0342	C35L - amber	4W									45x80mm						
ECO-0304	G45 - amber	4W									E27						
ECO-0307	G45 - amber	4W															





SMALL G45 DECORATIVE GLOBE LED BULB

Small color G45 LED bulbs are designed for illumination using garlands of bulbs. These are used mainly for terraces of homes or restaurants. Just imagine hundreds of color small lighting lights than can be perfect for illuminating big outside places.

Advantages and benefits of the product:

- ▶ Low consumption;
- ▶ 1-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Very low power consumption. Possibility to save up to 80% electricity;
- ▶ 100% instantaneous light – without delay or heating time;

PRODUCT CODE	BULB TYPE	POWER	EQ. POWER	VOLTAGE	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0191	G45 - white	1W	10W	220-230V	E27	80Lm/W	80Lm	NO	6500K	>80	50x85mm	220°	IP20	G	20.000h
ECO-0192									4000K						
ECO-0193									3000K						
ECO-0194									RED						
ECO-0195	G45 - blue								BLUE						
ECO-0196	G45 - green								GREEN						
ECO-0197	G45 - yellow								YELLOW						
ECO-0341	G45 - purple								PURPLE						



LED T8 TUBES



LED tube is a type of LED lamp used in fluorescent tube luminaires with G13 bases to replace traditional fluorescent tubes. As compared to fluorescent tubes, the most important advantages of LED tubes are energy efficiency and long service life.

LED tube lights are long, linear lamps designed to operate in traditional fluorescent fixtures.

Ecoplanet LED T8 Tubes type is "Direct-Wire". This refers to a wiring configuration where line voltage wires are connected directly to the LED tube light.

Ecoplanet LED tubes are designed for double ended connection. These lamps require live and neutral wires to be connected to the opposite ends of the LED tube light. Generally, wires can be connected to one or both pins on each end.

T8 Ecoplanet product range is made of glass, are available in 3CCT and contains 2 types of tubes:

- 1. With Frosted glass
- 2. With Clear glass



PRODUCT CODE	TUBE TYPE	POWER	EQ. POWER	VOLTAGE	CONNECTION	SOCKET	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	DIMENSIONS	MATERIAL	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME										
ECO-0033	T8 - frosted glass	9W	18W	175-265V	DOUBLE SIDE	G13	100Lm/W	900Lm	NO	6500K	>80	600mm	GLASS	270°	IP20	F	30.000h										
ECO-0155										4000K																	
ECO-0156		18W	36W					1800Lm		3000K		1200mm															
ECO-0034										6500K																	
ECO-0157										4000K																	
ECO-0158	T8 - clear glass	9W	18W					900Lm		3000K		600mm															
ECO-0133										6500K																	
ECO-0159		18W	36W					1800Lm		4000K		1200mm															
ECO-0160										3000K																	
ECO-0134										6500K																	
ECO-0161										4000K																	
ECO-0162										3000K																	



LED CEILING FIXTURES

LED CEILING FIXTURES



ECOPLANET LED ceiling lights have a beautiful and attractive design. ECOPLANET ceiling lights are perfect for lighting the rooms of the house, regardless of whether it is a bedroom, living room or kitchen.

In addition to the fact that the ECOPLANET ceiling light also has the role of a design element, thanks to the advanced LED technology, the well-thought-out design and models, you will benefit from a strong and high-quality light for your home.

Advantages and benefits of the product:

- ▶ 2-year warranty;
- ▶ Tested and guaranteed quality;
- ▶ Modern design;
- ▶ High quality LED chips;
- ▶ 3 shapes;
- ▶ High efficiency and low power consumption;



PRODUCT CODE	MODEL	SHAPE	RADIUS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0332	SIMPLE LIFE	ROUND	380mm	24W	175-265V	ELECTRICITY NETWORK	90Lm/W	2160LM	NO	6500K	>80	PLASTIC + ALUMINIUM	110°	IP20	F	30.000h
ECO-0333	COLOR DROPS		350mm													
ECO-0334	TOUCH THE STARS															

LED DECORATIVE CEILING LIGHTS


LED CEILING / WALL FIXTURES



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0082	CLEAR GLASS	ROUND	210x32mm	6W	175-265V	NETWORK	90Lm/W	540Lm	NO	6500K	>80	PLASTIC + GLASS	110°	IP20	F	30.000h
ECO-0240										4000K						
ECO-0241										3000K						
ECO-0083			242x32mm	12W				1080Lm		6500K						
ECO-0169										4000K						
ECO-0170										3000K						
ECO-0084			272x35mm	16W				1440Lm		6500K						
ECO-0171										4000K						
ECO-0172										3000K						
ECO-0137			319x35mm	20W				1800Lm		6500K						
ECO-0173										4000K						
ECO-0174										3000K						
ECO-0085		SQUARE	210x210x32mm	6W				540Lm		6500K						
ECO-0242										4000K						
ECO-0243										3000K						
ECO-0086			242x242x32mm	12W				1080Lm		6500K						
ECO-0175										4000K						
ECO-0176										3000K						
ECO-0087			272x272x35mm	16W				1440Lm		6500K						
ECO-0177										4000K						
ECO-0178										3000K						
ECO-0138			319x319x35mm	20W				1800Lm		6500K						
ECO-0179										4000K						
ECO-0180										3000K						
ECO-0139		RECTANGULAR	545x235x50mm	24W				2160Lm		6500K						
ECO-0181	4000K															
ECO-0182	3000K															

LED SURFACE MOUNTED PANELS

LED SURFACE MOUNTED SPOTS



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0097	SURFACE MOUNTED / FROSTED GLASS	ROUND	120x35mm	6W	175-265V	NETWORK	90Lm/W	540Lm	NO	6500K	>80	ALUMINIUM + PLASTIC	WHITE	120°	IP20	F	30.000h
ECO-0244				12W				1080Lm		4000K							
ECO-0245			170x35mm	12W				1080Lm		3000K							
ECO-0098				18W				1620Lm		6500K							
ECO-0246			225x35mm	18W				1620Lm		4000K							
ECO-0247				24W				2160Lm		3000K							
ECO-0099			280x35mm	24W				2160Lm		4000K							
ECO-0183				24W				2160Lm		6500K							
ECO-0184		SQUARE	120x120x33mm	6W				540Lm		3000K							
ECO-0100				12W				1080Lm		6500K							
ECO-0185			170x170x33mm	12W				1080Lm		4000K							
ECO-0186				18W				1620Lm		3000K							
ECO-0101			225x225x35mm	18W				1620Lm		6500K							
ECO-0248				24W				2160Lm		4000K							
ECO-0249			280x280x35mm	24W				2160Lm		3000K							
ECO-0102				24W				2160Lm		6500K							
ECO-0250			280x280x35mm	24W				2160Lm		4000K							
ECO-0251				24W				2160Lm		3000K							
ECO-0103			280x280x35mm	24W				2160Lm		6500K							
ECO-0187				24W				2160Lm		4000K							
ECO-0188			280x280x35mm	24W				2160Lm		3000K							
ECO-0104				24W				2160Lm		6500K							
ECO-0189			280x280x35mm	24W				2160Lm		4000K							
ECO-0190				24W				2160Lm		3000K							

LED RECESSED PANELS

LED SLIM RECESSED PANELS



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0042	RECESSED / FROSTED GLASS	ROUND	85x19mm	3W	175-265V	NETWORK	90Lm/W	270Lm	NO	6500K	>80	ALUMINIUM + PLASTIC	WHITE	120°	IP20	F	30.000h
ECO-0144										4000K							
ECO-0145										3000K							
ECO-0043			120x19mm	6W				540Lm		6500K							
ECO-0146										4000K							
ECO-0163										3000K							
ECO-0044			145x19mm	9W				810Lm		6500K							
ECO-0147										4000K							
ECO-0164										3000K							
ECO-0045			170x19mm	12				1080Lm		6500K							
ECO-0148										4000K							
ECO-0165										3000K							
ECO-0046		195x19mm	15W	1350Lm				6500K									
ECO-0229								4000K									
ECO-0230								3000K									
ECO-0047		225x19mm	18W	1620Lm				6500K									
ECO-0149								4000K									
ECO-0166								3000K									
ECO-0048		280x19mm	24W	2160Lm				6500K									
ECO-0167								4000K									
ECO-0168								3000K									
ECO-0049		SQUARE	85x85x19mm	3W				270Lm		6500K							
ECO-0150										4000K							
ECO-0151										3000K							
ECO-0050			120x120x19mm	6W				540Lm		6500K							
ECO-0152										4000K							
ECO-0231										3000K							
ECO-0051			145x145x19mm	9W				810Lm		6500K							
ECO-0153										4000K							
ECO-0154										3000K							
ECO-0052			170x170x19mm	12				1080Lm		6500K							
ECO-0232										4000K							
ECO-0233										3000K							
ECO-0053		195x195x19mm	15W	1350Lm				6500K									
ECO-0234								4000K									
ECO-0235								3000K									
ECO-0054	225x225x19mm	18W	1620Lm	6500K													
ECO-0236				4000K													
ECO-0237				3000K													
ECO-0055	280x280x19mm	24W	2160Lm	6500K													
ECO-0238				4000K													
ECO-0239				3000K													


LED RECESSED PANELS

LED SLIM PANEL



PRODUCT CODE	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0136	SQUARE	600x600mm	50W	175-265V	NETWORK	90Lm/W	4500Lm	NO	6500K	>80	ALUMINIUM + PLASTIC	WHITE	120°	IP20	F	30.000h

LED PANEL ACCESSORIES



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	MATERIAL	COLOR
ECO-0198	60X60 SLIM SURFACE FRAME FOR PANEL	SQUARE	600x600mm	ALUMINIUM	WHITE

LED LINEAR LIGHTING FIXTURES

LED LINEAR T5 LIGHTING FIXTURES



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0317	T5 + SWITCH	LINEAR	280x37x23mm	5W	175-265V	NETWORK + PLUG + INTERCONNECTION	100Lm/W	500Lm	NO	6500K	>80	ALUMINIUM + PLASTIC	WHITE	220°	IP20	F	30.000h
ECO-0320			580x37x23mm	9W				900Lm									
ECO-0323			880x37x23mm	14W				1400Lm									

LED SLIM WALL / CEILING LINEAR FIXTURE



PRODUCT CODE	MODEL	SHAPE	DIMENSIONS	POWER	VOLTAGE	CONNECTION	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0326	FIDA	SLIM LINEAR	600x75x24mm	18W	175-265V	NETWORK	95Lm/W	1710Lm	NO	6500K	>80	ALUMINIUM + PLASTIC	WHITE	120°	IP20	F	30.000h
ECO-0329			1200x75x24mm	36W				3420Lm									

SMD LED FLOOD LIGHT

LED FLOOD LIGHT



PRODUCT CODE	MODEL	DIMENSIONS	POWER	EQ. POWER	VOLTAGE	CONNECTION	MOTION SENSOR	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0122	SMD TABLET	50x70x28mm	10W	70W	175-265V	NETWORK	NO	90lm/W	900Lm	NO	6500K	>80	ALUMINIUM + GLASS	BLACK + WHITE	110°	IP65	F	30.000h
ECO-0123		70x90x28mm	20W	100W					1800Lm									
ECO-0124		90x118x28mm	30W	150W					2700Lm									
ECO-0125		128x140x28mm	50W	300W					4500Lm									
ECO-0126		180x218x35mm	100W	500W					9000Lm									
ECO-0314		230x320x38mm	150W	800W					13500Lm									
ECO-0315		265x380x38mm	200W	1000W					18000Lm									
ECO-0316		320x460x65mm	300W	1500W					27000Lm									

LED FLOOD LIGHT + MOTION SENSOR



PRODUCT CODE	MODEL	DIMENSIONS	POWER	EQ. POWER	VOLTAGE	CONNECTION	MOTION SENSOR	EFFICIENCY	LUMINOUS FLUX	DIMMABLE	COLOR TEMPERATURE	CRI	MATERIAL	COLOR	LIGHT ANGLE	PROTECTION	ENERGY CLASS	LIFETIME
ECO-0127	SMD TABLED + SENSOR	118x169x43mm	10W	70W	175-265V	NETWORK	YES	90lm/W	900Lm	NO	6500K	>80	ALUMINIUM + GLASS	BLACK + WHITE	110°	IP65	F	30.000h
ECO-0128		118x169x43mm	20W	100W					1800Lm									
ECO-0129		118x169x43mm	30W	150W					2700Lm									
ECO-0130		178x225x43mm	50W	300W					4500Lm									
ECO-0131		250x290x45mm	100W	500W					9000Lm									

--	--

ABOUT BCV GROUP



BCV OFFICE TRADE GROUP SRL is a Romanian company, founded in 2008.

The company's core activity is the import, export and distribution of lighting sources and electrical materials. The company owns several own brands with a wide range of LED lighting sources, appreciated at European level. This allowed us to satisfy all the demands of our customers and partners, both local and international, offering them a varied range of high-performance and durable products.

Also, having sources of supply from various countries, it managed to develop a wide range of other brands distributed both in Romania and in other states where it has a presence.

BCV has had a fast and safe growth over the years, thus becoming an international group and developing several sales channels BCV International Group:

- The company has a network of subsidiaries in the European Union but also in several non-EU countries;
- The company's products are present in several countries through local partners and online sales;
- An own network of physical stores was developed in Romania;
- Currently, the turnover of the group has exceeded 5 million euros.

For 15 years we have managed to become one of the important distributors in the field. The seriousness and consistency with which we work every day makes BCV International Group one of the best-known names in the field, appreciated and respected nationally and internationally.

We also want to become an increasingly important, valued and respected name in areas where we have not yet achieved this and to enable consumers and partners to fully benefit from the collaboration created and the products offered.

Through the products developed under our own brands, we contribute to increasing the quality of life among domestic consumers, but also to increasing energy efficiency among commercial consumers.

For more information please visit our website:
www.bcv-group.ro

ECOPLANET®

www.ecoplanet.com.ro